



SWEEPERS - RIDER

512 RIDER

The 512 Vacuum Rider Sweeper offers the cleaning width of 28", is easy to maneuver around tighter spaces, comfortable to ride on and simple to maintain.

MAX PRODUCTIVITY

40,000 ft²

BATTERY RUN TIME

2.5-3.7 h

KEY SPECS

28 cleaning path
13 gal capacity

MOST FREQUENT USE

RETAIL



HOSPITALITY



CLEANING CONTRACTORS



EDUCATION



INTUITIVE CONTROL PANEL



FRONTAL WASTE TRAY




EASY MAINTENANCE





SLS™ SELF-LEVELLING SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



SOFT SURFACE CLEANING

Electronical or mechanical system that allows great cleaning performances thanks to a constant pressure on the floor.



512 Rider



Other Features

- Self cleaning filter system providing optimum vacuum performance
- Main brush pressure adjustment with great dust control
- Dust flap for large debris collection
- Easy to use control panel
- Great working visibility
- Designed to assure minimum noise levels
- Dust filter replacement without tools
- Easy access to motor compartment
- Heavy duty chassis in fully coated steel
- Maximum protection against impact
- Panel control switches protected against water and humidity
- Battery level indicator
- On board charger

512 Rider

PRODUCTIVITY

| | | |
|------------------------------|-------------------------------------|------------------------------|
| Max theoretical productivity | ft ² /h - m ² | 40,000/ 3,700 m ² |
| Max working width | in/mm | 28 in/ 700 mm |
| Hopper volume | Gal/ l | 13 gal/ 50 l |
| Weight | lbs/ kg | 272 lbs/ 123 kg |
| Noise level | dB | 55 dBa |
| Run time | min | 150- 220 |

AVAILABLE ACCESSORIES

145 AH BATTERY
12V145



100 AGM BATTERY
12V100-AGM



140 AGM BATTERY
12V140-AGM



FLASHING LIGHT KIT
KTR101770



BATTERY WATERING SYSTEM
CR-BWS-S-2



GET RIGHT SIZED

| | Description | Continuous run-time | Theoretical ft ² / h | Maximum Theoretical ft ² /charge | Ft ² charge efficiency (70%) |
|-----------|-------------------|---------------------|---------------------------------|---|---|
| 512 Rider | 145ah Battery | 2.7 | 39,726 | 108,568 | 75,998 |
| 512 Rider | 100ah AGM Battery | 2.8 | 39,726 | 111,233 | 77,863 |
| 512 Rider | 140ah AGM Battery | 4.0 | 39,726 | 158,904 | 111,233 |



IPC Eagle Corporation
12450 Oliver Ave S Burnsville, MN 55337

800-486-2775
info@ipceagle.com